

(8)

G

SubDrive

R Fr

SUBDRIVE UTILITY

franklinwater.com

YOUR PARTNER FOR WATER SYSTEMS



Our proven portfolio of submersible and surface pumps are designed for superior durability, efficiency and performance.

0

6



LEGENDARY MOTORS

Unrivaled performance powered by over 75 years of expertise as the world's largest manufacturer of submersible motors.



An innovative line of starter and drive panels designed specifically for easeof-use in water pumping applications.

SubDrive

Franklin Electric's SubDrive Utility[™] Variable Frequency Drives provide an easy-to-install constant pressure solution for 115 V and 230 V single-phase, 2-wire systems and 230 V 3-wire and 3-phase systems up to 2 hp. Requiring only a small pressure tank in most applications, they offer a more compact overall footprint compared to traditional water systems while providing the added value of constant water pressure and built-in motor protection.



Designed with a sleek NEMA 3R (Type 3R) enclosure, they are rated for both indoor and outdoor use that provides a degree of protection against falling rain or sleet.



FEATURES & BENEFITS

SIMPLE INSTALLATION

Easy-to-install drive; most applications require the simple flip of one switch, saving significant time during installation.

MOTOR PROTECTION

The features proven by Pumptec, now offered in a basic VFD.

MULTIPLE APPLICATIONS

Ideal for new construction and retrofitting or optimizing an existing 2- or 3-wire and 3-phase pumping system.

SIMPLIFIED INVENTORY

Replaces the need for multiple control boxes, a pressure switch, and a larger pressure tank.

COST EFFECTIVE

Provides total system cost at or below standard installations with pump flows of 10 gpm and greater.

INDUSTRY EXPERTISE

Manufactured specifically for water pumping applications by a pump manufacturer, incorporating Franklin Electric's more than 14 years of drive engineering expertise into its design.

FULLY SUPPORTED

Comes fully supported by the industry's leading Technical Support professionals and Field Service Engineers.

Families have higher expectations of their home appliances than ever before, but they also put a premium on space. With a compact solution, such as SubDrive Utility, you can mount the VFD and a tank on the wall and free up valuable floor space for water treatment or other uses.






CONSTANT PRESSURE VS TRADITIONAL SYSTEMS

PRESSURE & FLOW COMPARISON


SUBDRIVE UTILITY puts the pump on cruise control by providing water pressure regardless of demand.

TRADITIONAL systems use a single-speed motor and pump to move water. As demand increases, the pump speed stays the same, causing pressure fluctuation and weak flow.



SYSTEM COST COMPARISON

The graph below compares the average costs of components for constant pressure and traditional water systems. For systems with higher flow rates, SubDrive Utility can be a cost effective solution.



APPLICATION OPPORTUNITIES

Maximize your profit on installations and suggest the SubDrive Utility for:

- Homeowners experiencing
 fluctuations in water pressure
- Maintenance calls for pump and motor work
- Applications where a pressure tank, switch and control box needs to be replaced
- New single-family residences requiring low demand

Pump & -Motor Small Pressure Tank — (In Most Applications)

— SubDrive Utility

— Pressure Sensor/Pressure Transducer (No Pressure Switch)

SubDrive

COMPARISON

					Provide State	0		0	6
	DESCRIPTION			CONTROL	ONTROL PROTECTION		VARIABLE FREQUENCY DRIVES (VFD)		
				Control Box	QD Pumptec	Pumptec	Pumptec Plus	SubDrive Utility UT2W	SubDrive Utility UT3P
	CONSTANT PRESSURE							\checkmark	\checkmark
FEATURES & PROTECTION	Protection	Rating		NEMA 3R	N/A	NEMA 3R	NEMA 3R	NEMA 3R	NEMA 3R
		Underload			 Image: A start of the start of	~	 Image: A set of the set of the	 Image: A second s	 Image: A second s
		Under/Over Voltage			✓	\checkmark	 Image: A set of the set of the	 Image: A second s	✓
		Rapid Cycle				\checkmark	✓		Soft Start
		Overload/Locked Pump			✓	\checkmark	✓	✓	✓
		Open/Short Circuit						✓	✓
	Input/Output/Control	Pressure Sensor (Hobbs)						✓	✓
		Pressure Transducer (4-20mA)						 Image: A set of the set of the	 Image: A second s
		Broken Pipe						 Image: A set of the set of the	✓
		Pressure Sensor Error						 Image: A second s	 Image: A set of the set of the
		Start/Run Circuits		 Image: A second s	\checkmark	\checkmark	✓	✓	✓
RS	1-Phase, 2-Wire	115V	1/3 hp – 1/2 hp			 Image: A second s		✓	
		230 V	1/2 hp – 1.5 hp			\checkmark	✓	✓	
	1-Phase, 3-Wire	115 V	1/3 hp – 1/2 hp	\checkmark	✓	\checkmark			
010			1/3 hp	\checkmark	 ✓ 	\checkmark	 ✓ 		
Σ		230 V	1/2 hp – 1 hp	\checkmark	\checkmark	\checkmark	✓		✓
SUBMERSIBLE MOTORS			1.5 hp	\checkmark		\checkmark	✓		✓
			2 hp	\checkmark			 Image: A set of the set of the		 Image: A second s
			3 hp	✓			 ✓ 		
			5 hp	\checkmark			 Image: A set of the set of the		
			5 hp – 15 hp	✓					
	3PH	230 V	1/2 hp – 2 hp						✓
SURFACE PUMPS	1-Phase, 2-Wire	115 V	1/3 hp – 1 hp					 ✓ 	
		230 V	1/2 hp – 2 hp					 Image: A second s	
	3PH	230 V	1/2 hp – 2 hp						✓

VARIABLE FRE	QUENCY DRIVES	SubDrive Utility UT2W	SubDrive Utility UT3P	
Order No.	Drive w/ Pressure Sensor	5870202003	5870202303	
Order No.	Drive w/Pressure Transducer	5870202003XD	5870202303XD	

0000

SubDrive

Franklin Electric is a global leader in the manufacturing and distribution of products and systems focused on the movement and management of water. We offer pumps, motors, drives, and controls for use in a wide variety of agricultural, commercial, industrial, municipal, and residential applications.

Connect with Us!





franklinwater.com